



## COLOCLEAN

Anti-bacteria satin emulsion paint based on an acrylic resin

INTERIOR



### DESCRIPTION

Washable satin emulsion paint based on an acrylic resin. Contains titanium dioxide, calcium carbonate and water and a special bactericide. Developed for the health sector. Efficient against the various bacteria found in hospitals. Conform to ISO 22196:2011.

### FIELD OF USE

All types of walls and ceilings.

### TECHNICAL CHARACTERISTICS

- Aspect : Smooth, satin finish.
- Colours : Delivered in white.
- Spreading-rate :  
+/- 12 m<sup>2</sup>/L, depending upon the surface and it's preparation.  
+/- 10 m<sup>2</sup>/Kg, depending upon the surface and it's preparation.  
Complies with ISO 23811 (2009).
- Density : 1.20 kg/l +/- 0.05 at 25°C, complies with NM ISO2811-1(2008).
- Viscosity : 120 KU +/- 5 at 25°C, complies with ASTM D561 (1991).

### SURFACE PREPARATION

For easy application and optimum performance the surface needs to be clean, sound and dry before rendering :

- \* Sand vigorously with a Chiendent brush.
- \* Sand with sandpaper.
- \* Remove the dust.
- \* Wash with a water-jet if necessary.

### APPLICATION PROPERTIES

Do not apply on cold, wet walls below 5°C or in conditions of high relative humidity, greater than 70%.  
Substrate conditions : Sound, dry and well prepared.  
Surface preparation : Smooth, clean, dust-free surfaces should be prepared.  
Application : Brush or roller.  
Generally, two coats are applied: 1st coat diluted 5% and 2nd coat no dilution.

### DRYING TIME

Drying time at 20°C and 60% relative humidity :  
\* Touch dry : 30 min.  
\* Dry : 2 hours.  
\* Recoatable after a minimum 4 hours.

### RECOMMENDED SYSTEM (consult us)

#### ■ INTERIOR

SYSTEM	NUMBER OF COATS
COLOPRIM	1
SUPER PATENDUIT SP88	2
COLOSTOP	1
COLOPRIM	1
COLOCLEAN	2

### STORAGE

Two years in the closed paint can, as delivered. Store inside in conditions avoiding extremes of hot and cold temperatures.

### PACKAGING

25 Kg.

### HEALTH & SAFETY

This product is not classified as dangerous under current regulations.

For more details, consult the safety data sheet N° 152.

Edition : October 2016 by Colorado (10/16).  
This version replaces all previous editions.

N.B : The changing needs of our customers as well as technical progress may lead us to change the characteristics of our products without notice and without liability.

COLORADO is certified ISO 9001, ISO 14001 & OHSAS 18001